



## TELANGANA STATE POLLUTION CONTROL BOARD

Zonal Office, 25-35/11, Tulasi Reddy Complex, 2nd Floor,  
Opp. Govt. ITI College, R.C.Puram, Sangareddy District - 502 032.  
Phone : 08455 280477, website: tspcb.cgg.gov.in

### CONSENT & AUTHORIZATION ORDER RENEWAL - ORANGE CATEGORY

#### BY REGISTERED POST WITH ACKNOWLEDGEMENT DUE

Consent Order No : TSPCB/ZO/RCP/PASHA/99/W&A/2016-1903 Date: 24.10.2016

(Consent Order for Existing/New or altered discharge of sewage and/or trade effluents/outlet under Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and amendments thereof; Operation of the plant under section 21 of Air (Prevention & Control of Pollution) Act 1981 and amendments thereof and Authorization / Renewal of Authorization under Rule 6 (2) of the Hazardous & Other Wastes (Management and Transboundary Movement) Rules, 2016.

CONSENT is hereby granted under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974, under section 21 of Air (Prevention & Control of Pollution) Act 1981 and Authorization under Provision of Hazardous & Other Wastes (Management and Transboundary Movement) Rules 2016, (hereinafter referred to as 'the Acts', 'the Rules') and the rules and orders made thereunder to

To  
M/s.Gamma Agro Medical Processing Pvt Ltd,  
Plot No.1, EPIP, IDA, Pashamailaram,  
Patancheru (M), Sangareddy District.

(hereinafter referred to as 'the Applicant') authorizing to operate the industrial plant to discharge the effluents from the outlets and the quantity of Emissions per hour from the chimneys as detailed below.

#### i) Outlets for discharge of effluents:

Outlet No.	Outlet Description	Max Daily Discharge	Point of Disposal
1	Domestic	0.5 KLD	Septic tank followed by soak pit.

#### ii) Emissions from chimneys:

Chimney No.	Description of Chimney	Quantity of Emissions in m <sup>3</sup> /hr. at peak flow
1	Attached to DG Set of capacity 62.5 KVA	---

**iii) Hazardous Waste Authorization (Form-II) [See Rule 6(2)]:**

1. Number of Authorization and date of issue – TSPCB/ZO/RCP/PASHA/99/HWM/2016 *1904*  
Date: **24.10.2016.**
2. The Occupier of, **M/s. Gamma Agro Medical Processing Pvt Ltd.,** is hereby granted an authorization to operate a facility for generation, collection, reception, storage, transport, reuse, recycling, recovery, pre processing, co-processing, utilization, treatment and disposal of Hazardous Waste namely.

Sl. No	Category of Hazardous Waste as per the Schedules I, II and III	Quantity	Point of disposal
1	5.1 of Schedule – I : Used oil	50 ltrs/annum	Board's Authorized Recycler / Reprocessor OR TSDF i.e., M/s. Hyderabad Waste Management Project, Dundigal (V), Dundigal Gandimaisamma (M), Medchal-Malkajgiri District.

**This Consent Order is valid for manufacture of the following products along with quantities only.**

S. No.	Products	Quantity
1	Irradiation of Food & Healthcare Products by Co. 60 – Gamma Radiation for Disinfections, Microbial decontamination and sterilization.	10,000 TPA

This Order is subject to the provisions of 'the Acts' and 'the Rules' and Orders made there under and further subject to the terms and conditions incorporated in the Schedule A, B & C enclosed to this Order.

This combined order of Consent & Hazardous Waste Authorization shall be valid for a period ending with the **30<sup>th</sup> day of June, 2021.**

To  
**M/s. Gamma Agro Medical Processing Pvt Ltd,**  
Plot No.1, EPIP, IDA, Pashamailaram,  
Patancheru (M), Sangareddy District.

**JOINT CHIEF ENVIRONMENTAL ENGINEER**

